INDEX, Vol. 54

Abbas, N.

see Torroni, A. et al.

Abbott, C. M.

see Jeremiah, S. J. et al.

Adriaansen, H. J., Geurts van Kessel, A. H. M., Wijdenes-De Bresser, J. H. F. M., Van Drunen-Schoenmaker, E. & Van Dongen, J. J. M.

expression of the myeloid differentiation antigen CD33 depends on the presence of human chromosome 19 in human-mouse hybrids, 115

Africans. Y chromosome DNA polymorphisms in human populations: differences between Caucasoids and...detected by 49a and 49f probes, 287

age at onset. On the estimation of the...distribution in Huntington's chorea using the EM algorithm, 225

age of onset. Using... to distinguish between subforms of breast cancer, 169

Agger, M. S.

see Bonné-Tamir, B. et al.

Andrews, V.

see Morton, N. E. et al.

Attwood, J.

see Edwards, Y. et al.

Attwood, J.

see Griffiths, B. et al.

Babron, M.-C., Constans, J., Dugoujon, J. M., Cambon-Thomsen, A. & Bonaïti-Pellié, C.

the Gm-Pi linkage in 843 French families: effect of the alleles Pi Z and Pi S, 107

Battistuzzi, G.

see Viglietto, G. et al.

Bearn, A. G.

review of Garrod's Inborn Factors in Disease, edited by C. R. Scriver & B. Childs, 99

Beeson, D., Jeremiah, S., West, L. F., Povey, S. & Newsom-Davis, J.

assignment of the human nicotinic acetylcholine receptor genes: the alpha and delta subunit genes to chromosome 2 and the beta subunit gene to chromosome 17, 199

Bekeer, R.

see Bonné-Tamir, B. et al.

Berg, E. S., Markussen, G., Teisberg, P. & Olaisen, B. use of DNA amplification (PCR) and direct DNA sequencing in the characterization of C4 alleles, 183

Berger, R.

see Law, M. L. et al.

Bernstein's methods. Comparison of simple and modified...in estimation of recessive allele frequency in the HLA system, 91

Betts, P. R.

see Jacobs, P. A. et al.

Beutler, E. & Gelbart, T.

Gaucher disease associated with a unique KpnI restriction site: identification of the amino-acid substitution, 149

Board, P. G.

see Griffiths, L. R. et al.

Bonaïti-Pellié, C.

see Babron, M.-C. et al.

Bonné-Tamir, B., Frydman, M., Agger, M. S., Bekeer, R., Bowcock, A. M., Hebert, J. M., Cavalli-Sforza, L. L. & Farrer, L. A.

Wilson's disease in Israel: a genetic and epidemiological study, 155

Bowcock, A. M.

see Bonné-Tamir, B. et al.

Brambilla, C., Frontali, M., Malaspina, P. & Rossi, C. on the estimation of the age at onset distribution in Huntington's chorea using the EM algorithm, 225

breast cancer. Using age of onset to distinguish between subforms of, 169

Buckland, R.

see Griffiths, L. R. et al.

Burchell, B.

see Harding, D. et al.

 χ^2 tests. On the use of...for nested categorized data,

C4 alleles. Use of DNA amplification (PCR) and direct DNA sequencing in the characterization of, 183

C6 and C7. The assignment of the genes coding for human complement components...to chromosome, 5, 141

Calabrò, V.

see Viglietto, G. et al.

Callen, D. F.

see Griffiths, L. R. et al.

Cambon-Thomsen, A.

see Babron, M.-C. et al.

carbonic anhydrase. The polymorphic human DNA sequence D8S8 assigned to 8q13-21.1, close to the...gene cluster, by isotopic and non-isotopic in situ hybridization and by linkage analysis, 131

Cavalli-Sforza, L. L.

see Bonné-Tamir, B. et al.

CD33. Expression of the myeloid differentiation antigen...depends on the presence of human chromosome 19 in human-mouse hybrids, 115

Chan, S. D. H.

see Law, M. L. et al.

Chantret, I.

see Darmoul, D. et al.

Charcot-Marie-Tooth disease. Isolation and use of chromosome 1 probes for linkage studies on, 31

Cheah, K. S. E.

see Law, M. L. et al.

- chiasmata. The topology of meiotic...prevents terminalization, 307
- Chin, K.
- see Mathew, C. G. P. et al.
- chromosome 1. Isolation and use of...probes for linkage studies on Charcot-Marie-Tooth disease,
- chromosome 2. Assignment of the human nicotinic acetylcholine receptor genes: the alpha and delta subunit genes to... and the beta subunit gene to chromosome 17. 199
- chromosome 2. Isolation of a cDNA probe for the human intestinal dipeptidylpeptidase IV and assignment of the gene locus *DPP4* to, 191
- chromosome 5. The assignment of the genes coding for human complement components C6 and C7 to,
- chromosome 6. The gene for the α2 chain of the human fibrillar collagen type XI (COL11A2) assigned to the short arm of, 23
- 8q13-21.1. The polymorphic human DNA sequence D8S8 assigned to..., close to the carbonic anhydrase gene cluster, by isotopic and non-isotopic in situ hybridization and by linkage analysis, 131
- chromosome 10. Regional localization of polymorphic markers on ... by physical and genetic mapping, 121
- chromosome 10. Standard maps of, 235
- chromosome 11p15. Assignment of the polymorphic intestinal mucin gene (MUC2) to, 277
- chromosome 17. Assignment of the human nicotinic acetylcholine receptor genes: the alpha and delta subunit genes to chromosome 2 and the beta subunit gene to, 199
- chromosome 19. Expression of the myeloid differentiation antigen CD33 depends on the presence of human...in human-mouse hybrids, 115
- Claus, E. B., Risch, N. J. & Thompson, W. D. using age of onset to distinguish between subforms of breast cancer, 169
- Clerget-Darpoux, F.
- see Prum, B. et al. Cockwell, A. E.
- see Jacobs, P. A. et al.
- collagen. The gene for the α2 chain of the human fibrillar...type XI (COL11A2) assigned to the short arm of chromosome 6, 23
- Collins, A.
 - see Morton, N. E., 103
- Collins, A.
- see Morton, N. E., 235
- complement. The assignment of the genes coding for human...components C6 and C7 to chromosome 5, 141
- Constans, J.
 - see Babron, M.-C. et al.
- counting algorithms for linkage, 103
- Crolla, J. A.
 - see Jacobs, P. A. et al.
- Curtis, D.
 - a program to draw pedigrees using LINKAGE or LINKSYS data files, 365

- D888. The polymorphic human DNA sequence... assigned to 8q13-21.1, close to the carbonic anhydrase gene cluster, by isotopic and non-isotopic in situ hybridization and by linkage analysis, 131
- Darmoul, D., Lacasa, M., Chantret, I., Swallow, D. M. & Trugnan, G.
 - isolation of a cDNA probe for the human intestinal dipeptidylpeptidase IV and assignment of the gene locus DPP4 to chromosome 2, 191
- dipeptidylpeptidase IV. Isolation of a cDNA probe for the human intestinal...and assignment of the gene locus DPP4 to chromosome 2, 191
- DiScipio, R. G.
 - see Jeremiah, S. J. et al.
- DNA polymorphism. The human Y chromosome shows a low level of, 297
- DNA polymorphisms. Y chromosome...in human populations: differences between Caucasoids and Africans detected by 49a and 49f probes, 287
- DPP4. Isolation of a cDNA probe for the human intestinal dipeptidylpeptidase IV and assignment of the gene locus... to chromosome 2, 191
- Driesel, A. J.
 - see Griffiths, L. R. et al.
- Dugoujon, J. M.
- see Babron, M.-C. et al.
- D'Urso, M.
- see Viglietto, G. et al.
- Easton, D.
- see Mathew, C. G. P. et al.
- Edwards, J. H.
 - the linkage detection problem, 253
- Edwards, Y., Williams, S., West, L., Lipowicz, S., Sheer, D., Attwood, J., Spurr, N., Sarkar, R., Saha, N. & Povey, S.
- the polymorphic human DNA sequence D8S8 assigned to 8q13-21.1, close to the carbonic anhydrase gene cluster, by isotopic and non-isotopic in situ hybridization and by linkage
- analysis, 131
 EM algorithm, the. On the estimation of the age at onset distribution in Huntington's chorea using,
- Farrer, L. A.
 - see Bonné-Tamir B. et al.
- Fellous, M
 - see Torroni, A. et al.
- Ferraro, M.
- see Malaspina, P. et al.
- Fey, G. H.
- see Jeremiah, S. J. et al.
- Fisher R
 - see Mathew, C. G. P. et al.
- Fletcher, J. M.
- see Griffiths, L. R. et al.
- Franceschi, M.
- rranceschi, M.
- see Presciuttini, S. et al.
 French. The Gm-Pi linkage in 843... families: effect of
 the alleles Pi Z and Pi S, 107

Frontali, M.

see Brambilla, C. et al.

Frydman, M.

see Bonné-Tamir, B. et al.

(G6PD). Common glucose-6-phosphate dehydrogenase...variants from the Italian population: biochemical and molecular characterization, 1

Gaucher disease associated with a unique KpnI restriction site: identification of the amino-acid substitution, 149

Gelbart, T.

see Beutler, E.

Geurts Van Kessel, A. H. M. see Adriaansen, H. J. et al.

glucose-6-phosphate dehydrogenase. Common ... (G6PD) variants from the Italian population: biochemical and molecular characterization, 1

Gm-Pi. The ... linkage in 843 French families: effect of the alleles Pi Z and Pi S, 107

GNT1. Chromosomal mapping of a human phenol UDP-glucuronosyltransferase, 17

Goodfellow, P. J.

see Mathew, C. G. P. et al.

Goradia, T. M. & Lange, K.

multilocus ordering strategies based on sperm typing, 49

Griffiths, B., Matthews, D. J., West, L., Attwood, J., Povey, S., Swallow, D. M., Gum, J. R. & Kim, Y. S.

assignment of the polymorphic intestinal mucin gene (MUC2) to chromosome 11p15, 277

Griffiths, L. R., Zwi, M. B., Mesterovic, N., Ross, D. A., Board, P. G., Callen, D. F., Mohandas, T., Buckland, R., Fletcher, J. M., Driesel, A. J., McLeod, J. G. & Nicholson, G. A.

isolation and use of chromosome 1 probes for linkage studies on Charcot-Marie-Tooth disease, 31

Guilloud-Bataille, M.

see Prum, B. et al.

Gum, J. R.

see Griffiths, B. et al.

Harding, D., Jeremiah, S. J., Povey, S. & Burchell, B. chromosomal mapping of a human phenol UDPglucuronosyltransferase, GNT1, 17

Harvey, J.

see Morton, N. E. et al.

Hassold, T.

see Morton, N. E. et al.

Hebert, J. M.

see Bonné-Tamir, B. et al.

HLA. Comparison of simple and modified Bernstein's methods in estimation of recessive allele frequency in the...system, 91

Hultén, M.

the topology of meiotic chiasmata prevents terminalization, 307

Huntington's chorea. On the estimation of the age at onset distribution in... using the EM algorithm, 225

intestinal dipeptidylpeptidase IV. Isolation of a cDNA probe for the human...and assignment of the gene locus DPP4 to chromosome 2, 191

intestinal mucin. Assignment of the polymorphic...gene (MUC2) to chromosome 11p15, 277

Iodice, C.

see Malaspina, P. et al.

Israel. Wilson's disease in...: a genetic and epidemiological study, 155

Italian. Common glucose-6-phosphate dehydrogenase (G6PD) variants from the...population: biochemical and molecular characterization, 1

Jacobs, P. A., Betts, P. R., Cockwell, A. E., Crolla, J. A., Mackenzie, M. J., Robinson, D. O. & Youings, S. A.

a cytogenetic and molecular reappraisal of a series of patients with Turner's syndrome, 209

Jacobs, P. A.

see Morton, N. E. et al.

Jeremiah, S. J., Abbott, C. M., Murad, Z., Povey, S., Thomas, H. J., Solomon, E., DiScipio, R. G. & Fey, G. H.

the assignment of the genes coding for human complement components C6 and C7 to chromosome 5, 141

Jeremiah, S.

see Beeson, D. et al.

Jeremiah, S. J.

see Harding, D. et al.

Jones, C.

see Law, M. L. et al.

Jones C

see Mathew, C. G. P. et al.

Jones, E.

see Mathew, C. G. P. et al.

Kao, F. T.

see Law, M. L. et al.

Keats, B. J.

see Morton, N. E. et al.

Kim, Y. S.

see Griffiths, B. et al.

KpnI. Gaucher disease associated with a unique...restriction site: identification of the amino-acid substitution, 149

Lacasa, M.

see Darmoul, D. et al.

Lange, K.

see Goradia, T. M.

Law, M. L., Chan, S. D. H., Berger, R., Jones, C., Kao, F. T., Solomon, E. & Cheah, K. S. E.

the gene for the α2 chain of the human fibrillar collagen type XI (COL11A2) assigned to the short arm of chromosome 6, 23

linkage-based counselling. On avoiding statistical bias in, 321

linkage. Counting algorithms for, 103

linkage detection problem, the, 253

LINKAGE or LINKSYS data files. A program to draw pedigrees using, 365

linkage. Probabilities of orders in ... calculations, 339 linkage studies on Charcot-Marie-Tooth disease.

Isolation and use of chromosome 1 probes for, 31

linkage. The Gm-Pi... in 843 French families: effect of the alleles Pi Z and Pi S, 107

linkage. The polymorphic human DNA sequence D888 assigned to 8q13–21.1, close to the carbonic anhydrase gene cluster, by isotopic and non-isotopic in situ hybridization and by...analysis,

Lipowicz, S.

see Edwards, Y. et al.

Little, P.

see Mathew, C. G. P. et al.

Lusis, A. & Sparkes, R., eds.

Genetic Factors in Atherosclerosis: Approaches and Model Systems, reviewed by N. E. Morton, 182

Mackenzie, M. J.

see Jacobs, P. A. et al.

Malaspina, P., Persichetti, F., Novelletto, A., Iodice, C., Terrenato, L., Wolfe, J., Ferraro, M. & Prantera, G.

the human Y chromosome shows a low level of DNA polymorphism, 297

Malaspina, P.

see Brambilla, C. et ul.

Markussen, G.

see Berg, E. S. et al.

Mathew, C. G. P., Wakeling, W., Jones, E., Easton, D., Fisher, R., Strong, C., Smith, B., Chin, K., Little, P., Nakamura, Y., Shows, T. B., Jones, C., Goodfellow, P. J., Povey, S. & Ponder, B. A. J. regional localization of polymorphic markers on

chromosome 10 by physical and genetic mapping, 121

Matthews, D. J.

see Griffiths, B. et al.

McLeod, J. G.

see Griffiths, L. R. et al.

meiotic chiasmata. The topology of ... prevents terminalization, 307

Mesterovic, N.

see Griffiths, L. R. et al.

Mohandas, T.

see Griffiths, L. R. et al.

Montanaro, V.

see Viglietto, G. et al.

Morton, N. E

review of Genetic Analysis of Complex Traits. Part I:
Insulin-dependent Diabetes Mellitus, edited by
R. S. Spielman, M. P. Bauer & F. ClergetDarpoux. Part II: Affective Disorders, edited by
J. P. Rice, N. Risch & L. R. Goldin, 181

Morton, N. E.

review of Genetic Factors in Atherosclerosis: Approaches and Model Systems, edited by A. Lusis & R. Sparkes, 182

Morton, N. E. & Collins, A.

counting algorithms for linkage, 103

Morton, N. E. & Collins, A.

standard maps of chromosome 10, 235

Morton, N. E., Keats, B. J., Jacobs, P. A., Hassold, T., Pettay, D., Harvey, J. & Andrews, V.

a centromere map of the X chromosome from trisomies of maternal origin, 39

(MUC2). Assignment of the polymorphic intestinal mucin gene... to chromosome 11p15, 277

multilocus ordering strategies based on sperm typing, 49

Murad. Z.

see Jeremiah, S. J. et al.

myeloid differentiation antigen CD33. Expression of the...depends on the presence of human chromosome 19 in human-mouse hybrids, 115

Nakamura, Y.

see Mathew, C. G. P. et al.

Nam, J.-M.

comparison of simple and modified Bernstein's methods in estimation of recessive allele frequency in the HLA system, 91

nested categorized data. On the use of χ^2 tests for, 315 Newsom-Davis, J.

see Beeson, D. et al.

Nicholson, G. A.

see Griffiths, L. R. et al.

nicotinic acetylcholine receptor. Assignment of the human...genes: the alpha and delta subunit genes to chromosome 2 and the beta subunit gene to chromosome 17, 199

Novelletto, A.

see Malaspina, P. et al.

Olaisen, B.

see Berg, E. S. et al.

orders in linkage calculations. Probabilities of, 339

Paoli, G.

see Presciuttini, S. et al.

(PCR). Use of DNA amplification ... and direct DNA sequencing in the characterization of C4 alleles, 183

pedigrees. A program to draw...using LINKAGE or LINKSYS data files, 365

Persichetti, F.

see Malaspina, P. et al.

Persico, M. G.

see Viglietto, G. et al.

Pettay, D.

see Morton, N. E. et al.

Pi Z and Pi S. The Gm-Pi linkage in 843 French families: effect of the alleles, 107

Ponder, B. A. J.

see Mathew, C. G. P. et al.

Povey, S.

see Beeson, D. et al.

Povey, S.

see Edwards, Y.

Povey, S.

see Griffiths, B. et al.

Povey, S.

see Harding, D. et al.

Povey, S.

see Jeremiah, S. J. et al.

Povey, S.

see Mathew, C. G. P. et al.

Prantera, G

see Malaspina, P. et al.

Presciuttini, S., Paoli, G. & Franceschi, M.

surname versus gene structure of a small isolate, 79 Prum, B., Guilloud-Bataille, M. & Clerget-Darpoux,

on the use of χ^2 tests for nested categorized data,

recessive allele frequency in the HLA system. Comparison of simple and modified Bernstein's methods in estimation of, 91

Renwick, J. H.

on avoiding statistical bias in linkage-based counselling, 321

Rice, J. P., Risch, N. & Goldin, L. R., eds.

Genetic Analysis of Complex Traits. Part II: Affective Disorders, reviewed by N. E. Morton, 181

Risch, N. J.

see Claus, E. B. et al.

Robinson, D. O.

see Jacobs, P. A. et al.

Ross, D. A.

see Griffiths, L. R. et al.

Rossi, C.

see Brambilla, C. et al.

Saha. N.

see Edwards, Y. et al.

Santachiara Benerecetti, A. S.

see Torroni, A. et al.

Sarkar, R.

see Edwards, Y. et al.

Scozzari, R.

see Torroni, A. et al.

Scriver, C. R. & Childs, B., eds.

Garrod's Inborn Factors in Disease, reviewed by A. G. Bearn, 99

Semino, O.

see Torroni, A. et al.

Sheer, D

see Edwards, Y. et al.

Shows, T. B.

see Mathew, C. G. P. et al.

Sirugo, G.

see Torroni, A. et al.

Smith, B.

see Mathew, C. G. P. et al.

Smith, C. A. B.

probabilities of orders in linkage calculations, 339 Solomon, E.

see Jeremiah, S. J. et al.

Solomon, E.

see Law, M. L. et al.

Spedini, G.

see Torroni, A. et al.

sperm typing. Multilocus ordering strategies based on, 49

Spielman, R. S., Bauer, M. P. & Clerget-Darpoux, F., eds

Genetic Analysis of Complex Traits. Part I: Insulindependent Diabetes Mellitus, reviewed by N. E. Morton, 181

Spurr, N.

see Edwards, Y. et al.

statistical bias. On avoiding...in linkage-based counselling, 321

Strong, C.

see Mathew, C. G. P. et al.

surname versus gene structure of a small isolate,

Swallow, D.

see Darmoul, D. et al.

Swallow, D. M.

see Griffiths, B. et al.

Teisberg, P.

see Berg, E. S. et al.

terminalization. The topology of meiotic chiasmata prevents, 307

Terrenato, L.

see Malaspina, P. et al.

Thomas, H. J.

see Jeremiah, S. J. et al.

Thompson, W. D.

see Claus, E. B. et al.

Torroni, A., Semino, O., Scozzari, R., Sirugo, G., Spedini, G., Abbas, N., Fellous, M. & Santachiara Benerecetti, A. S.

Y chromosome DNA polymorphisms in human populations: differences between Caucasoids and Africans detected by 49a and 49f probes, 287

trisomies of maternal origin. A centromere map of the X chromosome from, 39

Trugnan, G.

see Darmoul, D. et al.

Turner's syndrome. A cytogenic and molecular reappraisal of a series of patients with, 209

UDP-glucuronosyltransferase. Chromosomal mapping of a human phenol..., GNT1, 17

Vallone, D.

see Viglietto, G. et al.

Van Dongen, J. J. M.

see Adriaansen, H. J. et al.

Van Drunen-Schoenmaker, E.

see Adriaansen, H. J. et al.

Viglietto, G., Montanaro, V., Calabrò, V., Vallone, D., D'Urso, M., Persico, M. G. & Battistuzzi, G.

common glucose-6-phosphate dehydrogenase (G6PD) variants from the Italian population: biochemical and molecular characterization, 1

Wakeling, W.

see Mathew, C. G. P. et al.

West L

see Edwards, Y. et al.

- West L. see Griffiths, B. et al.
- West, L. F. see Beeson, D. et al.
- Wijdenes-De Bresser, J. H. F. M. see Adriaansen, H. J. et al.
- Williams, S.
- see Edwards; Y. et al.
 Wilson's disease in Israel: a genetic and epidemiological study, 155
- Wolfe, J. see Malaspina, P. et al.

- X chromosome. A centromere map of the...from trisomies of maternal origin, 39
- Y chromosome. DNA polymorphisms in human populations: differences between Caucasoids and Africans detected by 49a and 49f probes, 287
- Y chromosome. The human...shows a low level of DNA polymorphism, 297
- Youings, S. A. see Jacobs, P. A. et al.
- Zwi, M. B. see Griffiths, L. R. et al.